

Animal Protection and Control Act: Species Schedules

Overview

A significant change in the new legislation is that animal species are categorized in the regulation and there are lists of species (called Schedules) that provide clarity to the definitions in the regulation. In some cases, this expands the definitions of animal or livestock beyond what is in the Act.

- The Act applies to 'animals' that are defined as vertebrates, but the regulations expand this to acknowledge that some invertebrates should be offered protection when kept as pets or recognized as sentient.
- The Act defines 'livestock' as animals kept for food and fibre and the regulation expands livestock to include traditional 'farm animals', specifically equids (horses, donkeys, mules) as well as some species that might be farmed in the Yukon in the future.

Schedules

Schedule 1: Select invertebrates protected by the Act

The Act applies to all animals defined as vertebrates and the regulations list some invertebrates also protected. For example, scorpions and spiders are kept as pets and octopi are sentient; each should be provided with appropriate care.

Schedule 2: Livestock

Livestock are defined in the Act as animals 'raised for food or fibre' and the regulations expand that definition to include species typically regarded as farm animals, specifically horses, mules and donkeys. The schedule lists typical (cattle, swine, poultry) and less common (emu, yak) livestock for greater clarity. The Agriculture Branch will respond to concerns about care or control of species listed as livestock because they have knowledge of the agriculture industry in Yukon.

Schedule 3: High Risk

The Minister can appoint officers empowered to control or eliminate high-risk species that threaten safety or the environment. This Schedule specifies Eurasian boar, a sub-species of swine, as high-risk animals. They are also prohibited in the Yukon.

Schedule 4: Allowed

The new regulation defines a category of animals as Allowed to be clear that no permits or additional controls need to apply to common exotic pet species - for example canaries, hamsters, bearded dragons, corn snake and ball pythons. They are wild by nature in their country of origin but are well established as



pets and essentially domesticated. For clarity, typical companion animal species (dogs, cats, ferrets) are listed in this schedule and commercially available aquarium fish are also allowed by the regulation.

Schedule 5: Restricted

The Restricted species category provides for lawful ownership of species that need special consideration because of risks to the environment or special considerations for their welfare in captivity. These animals require a permit for ownership with restrictions on containment and care. This will address requests from people who want to move to Yukon with, for example, a pet skunk. They can now keep that pet skunk, but the permit would specify proof of neutering and rabies vaccination. Similarly, large reptiles, cockatoos and macaws will need a permit that specifies they are housed in a safe and humane manner.

Permits

Those interested in owning restricted species may apply for a permit to own. Permit conditions vary with species (such as requirement for the animal to be captive bred, or have specific care, confinement or treatment standards).

- Permits are subject to a \$150 application fee.
- Permitted animals will receive an individual ID and the permit does not expire but is not transferable.

Category: Prohibited

Prohibited species under the regulation are those not identified in the regulations as livestock, allowed or restricted. Eurasian boar, a sub-species of swine, are prohibited in the Yukon due to high risk of becoming feral and causing significant damage and threat to safety. Hybrids, when one parent is a prohibited animal, are also prohibited. These animals cannot be owned in the Yukon and owners must immediately connect with the Animal Health Unit to discuss their situation.



List of schedules and species

Schedule 1: Select invertebrates protected by the Act

Cephalopods (Class Cephalopoda, all species)	Scorpions (Order Scorpiones, all species)
Tarantulas (Family Theraphosidae, all species)	

Schedule 2: Livestock

Birds

California Quail (<i>Callipepla californica</i>)	Domestic Muscovy Duck (<i>Cairina moschata</i>)
Chicken (<i>Gallus gallus domesticus</i>)	Emu (<i>Dromaius novaehollandiae</i>)
Chukar Partridge (<i>Alectoris chukar</i>)	Gray Partridge (<i>Perdix perdix</i>)
Common Pheasant (<i>Phasianus colchicus</i>)	Japanese Quail (<i>Coturnix japonica</i>)
Domestic duck (<i>Anas platyrhynchos domesticus</i>)	Turkey (<i>Meleagris gallopavo domesticus</i>)
Domestic Goose (<i>Anser anser domesticus</i>)	

Fish

Arctic Char (<i>Salvelinus alpinus</i>)

Mammals

Alpaca (<i>Vicugna pacos</i>)	Horse (<i>Equus ferus caballus</i>)
Cattle (<i>Bos taurus domesticus</i>)	Llama (<i>Lama glama</i>)
Domestic Goat (<i>Capra hircus</i>)	Mule (<i>Equus asinus</i> × <i>Equus ferus caballus</i>)
Domestic Rabbit (<i>Oryctolagus cuniculus</i>)	Swine (Subspecies <i>Sus scrofa domesticus</i> only)
Domestic Sheep (<i>Ovis aries</i>)	Yak (<i>Bos grunniens</i>)
Donkey (<i>Equus asinus</i>)	

Schedule 3: High risk

Eurasian Boar (<i>Sus scrofa</i> except <i>Sus scrofa domesticus</i>)



Schedule 4: Allowed

Amphibians

Family Ambystomatidae:	
Axolotl (<i>Ambystoma mexicanum</i>)	Marble Salamander (<i>Ambystoma opacum</i>)
Family Bombinatoridae:	
Oriental Fire-Bellied Toad (<i>Bombina orientalis</i>)	
Family Bufonidae:	
Black Indonesian Toad (<i>Bufo asper</i>)	Indonesian Toad (<i>Duttaphrynus melanostictus</i>)
Green Toad (<i>Anaxyrus debilis</i>)	
Family Ceratophryidae:	
Argentine Horned Frog (<i>Ceratophrys ornata</i>)	Chacoan Horned Frog (<i>Ceratophrys cranwelli</i>)
Budgett's Frog (<i>Lepidobatrachus laevis</i>)	Surinam Horned Frog (<i>Ceratophrys cornuta</i>)
Family Dendrobatidae:	
Dart Poison Frog (<i>Dendrobates auratus</i>)	Yellow-banded Poison Dart Frog (<i>Dendrobates leucomelas</i>)
Dyeing Dart Frog (<i>Dendrobates tinctorius</i>)	Yellow-striped Poison Frog (<i>Dendrobates truncatus</i>)
Family Hylidae:	
Barking Tree Frog (<i>Dryophytes gratiosus</i>)	Haitian Giant Tree Frog (<i>Osteopilus vastus</i>)
Brazilian Black and White Milky Frog (<i>Trachycephalus resinifictrix</i>)	Marmorea Frog (<i>Dendropsophus marmoratus</i>)
Clown Tree Frog (<i>Dendropsophus leucophyllatus</i>)	Squirrel Tree Frog (<i>Dryophytes squirellus</i>)
Cuban Tree Frog (<i>Osteopilus septentrionalis</i>)	White's Tree Frog (<i>Dryopsophus caerleus</i>)
Green Tree Frog (<i>Dryophytes cinereus</i>)	
Family Hyperoliidae:	
African Reed Frog (<i>Hyperolius concolor</i>)	
Family Mantellidae:	
Baron's Mantella (<i>Mantella baroni</i>)	Bronze Mantella (<i>Mantella betsileo</i>)
Family Megophryidae:	
Long-nosed Horned Frog (<i>Megophrys nasuta</i>)	
Family Microhylidae:	
Banded Rubber Frog (<i>Phrynomantis bifasciatus</i>)	Chubby Frog (<i>Kaloula pulchra</i>)
Emerald Hopper Frog (<i>Scaphiophryne madagascariensis</i>)	Tomato Frogs (Genus <i>Dyscophus</i> , all species)
Family Pelodryadidae:	
White-lipped Tree Frog (<i>Nyctimystes infrafrenatus</i>)	
Family Phyllomedusidae:	
Red-eyed Tree Frog (<i>Agalychnis callidryas</i>)	
Family Pipidae:	



Dwarf Aquatic Frog (<i>Hymenochirus boettgeri</i>)	Western Dwarf Clawed Frog (<i>Hymenochirus curtipes</i>)
Family Ranidae:	
African Bullfrog (<i>Pyxicephalus adspersus</i>)	
Family Rhacophoridae:	
Bird Poop Frog (<i>Theloderma asperum</i>)	Vietnam Blue Flying Frog (<i>Zhangixalus dennysi</i>)
Mossy Frog (<i>Theloderma corticale</i>)	
Family Salamandridae:	
Oriental Fire-bellied Newt (<i>Cynops orientalis</i>)	California Newt (<i>Taricha torosa</i>)
Family Scaphiopodidae:	
Eastern Spadefoot Toad (<i>Scaphiopus holbrookii</i>)	
Family Sirenidae:	
Southern Dwarf Siren (<i>Pseudobranchus axanthus</i>)	Northern Dwarf Siren (<i>Pseudobranchus striatus</i>)

Birds

Family Columbidae:	
Rock Dove (<i>Columba livia</i>)	
Family Cacatuidae:	
Cockatiels (Subfamily Nymphicinae, all species)	
Family Estrildidae:	
Bicheno Finch (<i>Taeniopygia bichenovii</i>)	Nutmeg Mannikin (<i>Lonchura punctulata</i>)
Blue-capped Cordon-bleu (<i>Uraeginthus cyanocephalus</i>)	Plum-headed Finch (<i>Neochmia modesta</i>)
Blue-headed Parrotfinch (<i>Erythrura trichroa</i>)	Purple Grenadier (<i>Uraeginthus ianthinogaster</i>)
Crimson-rumped Waxbill (<i>Estrilda rhodopyga</i>)	Red-cheeked Cordon-bleu (<i>Uraeginthus bengalus</i>)
Cut-throat Finch (<i>Amadina fasciata</i>)	Red-eared Firetail (<i>Stagonopleura oculata</i>)
Diamond Sparrow Finch (<i>Stagonopleura guttata</i>)	Red-headed Parrotfinch (<i>Erythrura cyaneovirens</i>)
Gouldian Finch (<i>Erythrura gouldiae</i>)	Society Finch (<i>Lonchura striata domestica</i>)
Java Sparrow (<i>Lonchura oryzivora</i>)	Star Finch (<i>Neochmia ruficauda</i>)
Long-tailed Finch (<i>Poephila acuticauda</i>)	Strawberry Finch (<i>Amandava amandava</i>)
Masked Grassfinch (<i>Poephila personata</i>)	Tricoloured Munia (<i>Lonchura malacca</i>)
Melba Finch (<i>Pytilia melba</i>)	White-headed Munia (<i>Lonchura maja</i>)
Family Fringillidae:	
Canary (<i>Serinus canaria</i>)	European Goldfinch (<i>Carduelis carduelis</i>)
Family Leiothrichidae:	
Peking Robin (<i>Leiothrix lutea</i>)	
Family Passeridae:	
Sudan Golden Sparrow (<i>Passer luteus</i>)	



Family Psittacidae:	
Parrotlets (Subfamily Arinae, all species)	
Family Psittaculidae:	
Broad Tailed Parrots (Australian Parakeets) (Subfamily Platycercinae, all species)	Love Birds (Subfamily Agapornithinae, all species)
Lories, Lorikeets and Budgerigars (Subfamily Loriinae, all species)	
Love Birds (Subfamily Agapornithinae, all species)	
Family Pycnonotidae:	
Red-eared Bulbul (<i>Pycnonotus jocosus</i>)	
Family Sturnidae:	
Common Hill Myna (<i>Gracula religiosa</i>)	
Family Viduidae:	
Senegal Combassou (<i>Vidua chalybeata</i>)	

Mammals

Family Canidae:	
Domestic Dog (<i>Canis familiaris</i>)	
Family Caviidae:	
Guinea Pig (<i>Cavia porcellus</i>)	
Family Chinchillidae:	
Chinchillas (Genus <i>Chinchilla</i> , all species)	
Family Cricetidae:	
Campbell's Dwarf Hamster (<i>Phodopus campbelli</i>)	Golden Hamster (<i>Mesocricetus auratus</i>)
Dwarf Hamster (<i>Cricetulus migratorius</i>)	Mongolian Gerbil (<i>Meriones unguiculatus</i>)
Family Erinaceidae:	
African Pygmy Hedgehog (<i>Atelerix albiventris</i>)	
Family Felidae:	
Domestic Cat (<i>Felis catus</i>)	
Family Leporidae:	
European (Domestic) Rabbit (<i>Oryctolagus cuniculus</i>)	
Family Muridae:	
Fancy Mouse (<i>Mus musculus domestica</i>)	Fancy Rat (<i>Rattus norvegicus domestica</i>)
Family Mustelidae:	
Ferret (<i>Mustela furo</i>)	
Family Octodontidae:	
Degus (Genus <i>Octodon</i> , all species)	
Family Petauridae:	



Sugar Gliders (Genus <i>Petaurus breviceps</i> , all species)	
---	--

Reptiles

Family Agamidae:	
Australian Water Dragon (<i>Intellagama lesueurii</i>)	Geyr's Spiny-tailed Lizard (<i>Uromastyx geyri</i>)
Banded Spiny-tailed Lizard (<i>Uromastyx dispar</i>)	Green Pricklenape (<i>Acanthosaura capra</i>)
Blood Sucker Calotes (<i>Calotes versicolor</i>)	Masked Horned Tree Lizard (<i>Acanthosaura crucigera</i>)
Blue Headed Tree Dragon (<i>Calotes mystaceus</i>)	Moroccan Uromastyx (<i>Uromastyx acanthinurus</i>)
Central Bearded Dragon (<i>Pogona vitticeps</i>)	Mwanza Flat-headed Rock Agama (<i>Agama mwanzae</i>)
Chinese Water Dragon (<i>Physignathus cocincinus</i>)	Peninsular Horned Tree Lizard (<i>Acanthosaura armata</i>)
Common Agama (<i>Agama agama</i>)	Rankin's Dragon (<i>Pogona henrylawsoni</i>)
Common Butterfly Lizard (<i>Leiolepis belliana</i>)	Short-toed Rock Agama (<i>Stellagama stellio</i>)
Crowned Spiny Lizard (<i>Acanthosaura coronata</i>)	Sunwatcher Toadhead Agama (<i>Phrynocephalus helioscopus</i>)
Dragon Agama (<i>Japalura tricarinata</i>)	White Agama (<i>Trapelus mutabilis</i>)
Frilled Lizard (<i>Chlamydosaurus kingii</i>)	
Family Anguidae:	
Eastern Glass Lizard (<i>Ophisaurus ventralis</i>)	
Family Aniliidae:	
False Coral Snake (<i>Anilius scytale</i>)	
Family Boidae:	
Kenyan Sand Boa (<i>Eryx colubrinus</i>)	Rosy Boa (<i>Lichanura trivirgata</i>)
Red Sand Boa (<i>Eryx johnii</i>)	Rough-scaled Sand Boa (<i>Eryx conicus</i>)
Family Carphodactylidae:	
Thick-tailed Gecko (<i>Underwoodisaurus milii</i>)	
Family Chamaeleonidae:	
Bearded Pygmy Chameleon (<i>Rieppeleon brachyurus</i>)	Panther Chameleon (<i>Furcifer pardalis</i>)
Carpet Chameleon (<i>Furcifer lateralis</i>)	Side-striped Chameleon (<i>Trioceros bitaeniatus</i>)
Coarse Chameleon (<i>Trioceros rudis</i>)	Spiny Chameleon (<i>Furcifer verrucosus</i>)
Jackson's Chameleon (<i>Trioceros jacksonii</i>)	Veiled Chameleon (<i>Chamaeleo calyptratus</i>)
Kenya Pygmy Chameleon (<i>Rieppeleon kerstenii</i>)	West Usambara Two-horned Chameleon (<i>Kinyongia multituberculata</i>)
Malagasy Giant Chameleon (<i>Furcifer oustaleti</i>)	
Family Colubridae:	
Atlantic Central American Milksnake (<i>Lampropeltis polyzona</i>)	Great Plains Rat Snake (<i>Pantherophis emoryi</i>)



Baird's Rat Snake (<i>Pantherophis bairdi</i>)	Honduran Milk Snake (<i>Lampropeltis abnormal</i>)
Baja Gopher Snake (<i>Pituophis vertebralis</i>)	Japanese Rat Snake (<i>Elaphe climacophora</i>)
Black Milksnake (<i>Lampropeltis micropholis</i>)	Mexican Kingsnake (<i>Lampropeltis mexicana</i>)
Black Rat Snake (<i>Pantherophis obsoletus</i>)	Pacific Gopher Snake (<i>Pituophis catenifer catenifer</i>)
Black-banded Trinket Snake (<i>Oreocryptophis porphyraceus pulchra</i>)	Prairie Kingsnake (<i>Lampropeltis calligaster</i>)
Bull Snake (<i>Pituophis catenifer sayi</i>)	Radiated Rat Snake (<i>Coelognathus radiatus</i>)
California Kingsnake (<i>Lampropeltis californiae</i>)	Rough Green Snake (<i>Opheodrys aestivus</i>)
Checkered Garter Snake (<i>Thamnophis marcianus</i>)	San Diego Gopher Snake (<i>Pituophis catenifer annectens</i>)
Corn Snake (<i>Pantherophis guttatus</i>)	Scarlet Kingsnake (<i>Lampropeltis elapsoides</i>)
Desert Kingsnake (<i>Lampropeltis splendida</i>)	Siberian Rat Snake (<i>Elaphe schrenckii</i>)
Diadem Snake (<i>Spalerosophis diadema</i>)	Sonoran Gopher Snake (<i>Pituophis catenifer affinis</i>)
Eastern Milk Snake (<i>Lampropeltis triangulum</i>)	Speckled Kingsnake (<i>Lampropeltis holbrooki</i>)
Eastern Pine Snake (<i>Pituophis melanoleucus</i>)	Tri-Color Hognose Snake (<i>Xenodon pulcher</i>)
Florida Kingsnake (<i>Lampropeltis getula</i>)	Vine Snake (<i>Aheatulla nasuta</i>)
Family Cordylidae:	
Armadillo Lizard (<i>Ouroborus cataphractus</i>)	East African Spiny-tailed Lizard (<i>Cordylus tropidosternum</i>)
Common Flat Lizard (<i>Platysaurus intermedius</i>)	
Family Corytophanidae:	
Brown Basilisk (<i>Basiliscus vittatus</i>)	Green Basilisk (<i>Basiliscus plumifrons</i>)
Common Basilisk (<i>Basiliscus basiliscus</i>)	Helmeted Iguana (<i>Corytophanes cristatus</i>)
Eastern Casquehead Iguana (<i>Laemactus longipes deborrei</i>)	
Family Crotaphytidae:	
Blunt-nosed Leopard Lizard (<i>Gambelia sila</i>)	Eastern Collared Lizard (<i>Crotaphytus insularis</i>)
Collared Lizard (<i>Crotaphytus collaris</i>)	
Family Dactyloidae:	
Bronze Anole (<i>Anolis aeneus</i>)	Large-headed Anole (<i>Anolis cybote</i>)
Brown Anole (<i>Anolis sagrei</i>)	Martinique's Anole (<i>Anolis roquet</i>)
Green Anole (<i>Anolis carolinensis</i>)	West Ecuadorian Anole (<i>Anolis lemniscatus</i>)
Knight Anole (<i>Anolis equestris</i>)	
Family Diplodactylidae:	
Crested Gecko (<i>Correlophus ciliatus</i>)	Northern Spiny Tail Gecko (<i>Strophurus ciliaris</i>)
Mossy New Caledonian Gecko (<i>Rhacodactylus chahoua</i> or <i>Mniarogekko chahoua</i>)	Rough-snouted Giant Gecko (<i>Rhacodactylus trachyrhynchus</i>)
New Caledonian Bumpy Gecko (<i>Rhacodactylus auriculatus</i>)	Sarasin's Giant Gecko (<i>Rhacodactylus sarasinorum</i> or <i>Correlophus sarasinorum</i>)



New Caledonian Giant Gecko (<i>Rhacodactylus leachianus</i>)	
Family Emydidae	
Common Box Turtle (<i>Terrapene carolina</i>)	
Family Eublepharidae	
African Fat-tail Gecko (<i>Hemitheconyx caudicinctus</i>)	Leopard Gecko (<i>Eublepharis macularius</i>)
Central American Banded Gecko (<i>Coleonyx mitratus</i>)	Western Banded Gecko (<i>Coleonyx variegatus</i>)
Family Gekkonidae:	
Abbott's Day Gecko (<i>Phelsuma abbotti</i>)	Madagascar Day Gecko (<i>Phelsuma madagascariensis</i>)
Algerian Sand Gecko (<i>Tropicolotes steudneri</i>)	Madagascar Giant Day Gecko (<i>Phelsuma grandis</i>)
Banded Bent-toed Gecko (<i>Cyrtodactylus pulchellus</i>)	Madagascar Spiny Gecko (<i>Paroedura bastardi</i>)
Barbour's Day Gecko (<i>Phelsuma barbourin</i>)	Mauritius Lowland Forest Day Gecko (<i>Phelsuma guimbeaui</i>)
Bibron's Gecko (<i>Chondrodactylus turneri</i>)	Mauritius Ornate Day Gecko (<i>Phelsuma ornata</i>)
Blue-tailed Day Gecko (<i>Phelsuma cepediana</i>)	Mediterranean Turkish Gecko (<i>Hemidactylus turcicus</i>)
Brook's House Gecko (<i>Hemidactylus brookii</i>)	Middle Eastern Short-fingered Gecko (<i>Stenodactylus doriae</i>)
Common Flat-tail Gecko (<i>Uroplatus fimbriatus</i>)	Modest Day Gecko (<i>Phelsuma modesta</i>)
Common House Gecko (<i>Hemidactylus frenatus</i>)	Mossy Leaf-tail Gecko (<i>Uroplatus sikorae</i>)
Dull Day Gecko (<i>Phelsuma dubia</i>)	Peacock Day Gecko (<i>Phelsuma quadriocellata</i>)
Fantastic Leaf-tail Gecko (<i>Uroplatus phantasticus</i>)	Robert Mertens' Day Gecko (<i>Phelsuma robertmertensi</i>)
Giant Egyptian Sand Gecko (<i>Stenodactylus petrii</i>)	Sand-eye Gecko (<i>Stenodactylus sthenodactylus</i>)
Gold Dust Day Gecko (<i>Phelsuma laticauda</i>)	Short-headed Day Gecko (<i>Phelsuma breviceps</i>)
Golden Gecko (<i>Gekko badenii</i>)	Spotted House Gecko (<i>Gekko monarchus</i>)
Indian Day Gecko (<i>Phelsuma v-nigra</i>)	Standing's Day Gecko (<i>Phelsuma standingi</i>)
Island Day Gecko (<i>Phelsuma nigristriata</i>)	Thicktail Day Gecko (<i>Phelsuma mutabilis</i>)
Kuhl's Flying Gecko (<i>Ptychozoon kuhli</i>)	Tokay Gecko (<i>Gekko gekko</i>)
Lined Day Gecko (<i>Phelsuma lineata</i>)	Tropical House Gecko (<i>Hemidactylus mabouia</i>)
Lined Gecko (<i>Gekko vittatus</i>)	Yellow-headed Day Gecko (<i>Phelsuma klemmeri</i>)
Lined Leaf-tail Gecko (<i>Uroplatus lineatus</i>)	Yellow-headed Dwarf Gecko (<i>Lygodactylus uteopicturatus</i>)
Madagascan Ground Gecko (<i>Paroedura picta</i>)	
Family Gerrhosauridae:	
Madagascar Keeled Cordylid (<i>Tracheloptychus madagascariensis</i>)	Yellow-throated Plated Lizard (<i>Gerrhosaurus flavigularis</i>)
Sudan Plated Lizard (<i>Broadleysaurus major</i>)	



Family Iguanidae:	
Emerald Spiny Lizard (<i>Sceloporus taeniocnemis</i>)	Western Fence Lizard (<i>Sceloporus occidentalis</i>)
Family Lacertidae:	
Bosc's Fringe-toed Lizard (<i>Acanthodactylus boskianus</i>)	Long-tailed Grass Lizard (<i>Takydromus sexlineatus</i>)
Family Lamprophiidae:	
Abyssinian House Snake (<i>Lamprophis abyssinicus</i>)	Fisk's House Snake (<i>Lamprophis fiskii</i>)
Aurora House Snake (<i>Lamprophis aurora</i>)	Mole Snake (<i>Pseudaspis cana</i>)
Brown House Snake (<i>Boaedon capensis</i>)	Spotted House Snake (<i>Lamprophis guttatus</i>)
Ethiopian House Snake (<i>Lamprophis erlangeri</i>)	Yellow-bellied House Snake (<i>Lamprophis fuscus</i>)
Family Leiocephalidae:	
Hispaniolan Masked Curly-tailed Lizard (<i>Leiocephalus personatus</i>)	Northern Curly-tailed Lizard (<i>Leiocephalus carinatus</i>)
Family Opluridae:	
Madagascar Iguana (<i>Chalarodon madagascariensis</i>)	Malagasy Iguana (<i>Oplurus cyclurus</i>)
Family Phyllodactylidae:	
Crocodile Gecko (<i>Tarentola mauritanica</i>)	Yellow Fan-fingered Gecko (<i>Ptyodactylus hasselquistii</i>)
White-spotted Gecko (<i>Tarentola annularis</i>)	
Family Pythonidae:	
Ball Python (<i>Python regius</i>)	Spotted Python (<i>Antaresia maculosa</i>)
Children's Python (<i>Antaresia childreni</i>)	Pink-tongued Skink (<i>Cyclodomorphus gerrardii</i>)
Family Scinidae:	
Berber Skink (<i>Eumeces schneideri</i>)	Rainbow Skink (<i>Trachylepis quinquetaeniata</i>)
Blue-tongued Skink (<i>Tiliqua scincoides</i>)	Red-eyed Crocodile Skink (<i>Tribolonotus gracilis</i>)
Broad-Headed Skink (<i>Eumeces skiltonianus</i>)	Red-sided Skink (<i>Trachylepis homalocephala</i>)
Common Sun Skink (<i>Mabuya multifasciata</i>)	Sandfish Skink (<i>Scincus scincus</i>)
Fire Skink (<i>Mochlus fernandi</i>)	Shingleback Skink (<i>Tiliqua rugos</i>)
Giant Bluetongue Skink (<i>Tiliqua gigas</i>)	Southeastern Five-lined Skink (<i>Eumeces inexpectatus</i>)
Gold-spotted Mabuya (<i>Trachylepis aureopunctata</i>)	Two-coloured Skink (<i>Trachylepis dichroma</i>)
Ocellated Skink (<i>Chalcides ocellatus</i>)	Wedge-snouted Skink (<i>Chalcides sepsoides</i>)
Family Teiidae:	
Green Ameiva (<i>Ameiva ameiva</i>)	Rainbow Whiptail (<i>Cnemidophorus lemniscatus</i>)
Family Testudinidae:	
Hermann's Tortoise (<i>Testudo hermanni</i>)	Red-footed Tortoise (<i>Chelonoidis carbonaria</i>)
Family Tropiduridae:	
Girard's Whorltail Iguana (<i>Stenocercus ornatus</i>)	



Fish

Goldfish (<i>Carassius auratus</i>)	Koi (<i>Cyprinus carpio</i>)
---------------------------------------	--------------------------------

Schedule 5: Restricted

Amphibians

Frogs and Toads (Order Anura, all species except those Listed in Schedule 4)	Salamanders (Order Caudata, all species except those listed in Schedule 4)
--	--

Birds

Cockatoos (Superfamily Cacatuoidea, all species)	Macaws (Genera <i>Ara</i> , <i>Anodorhynchus</i> , <i>Cyanopsitta</i> , <i>Primolius</i> , <i>Orthopsittaca</i> and <i>Diopsittaca</i> , all species)
Falconiformes (Order Falconiformes, all species)	True Parrots (Superfamily Psittacoidea, all species)
Family Columbidae:	
Diamond Dove (<i>Geopelia cuneata</i>)	Ring-necked Dove (<i>Streptopelia capicola</i>)
Ringed Turtle Dove (<i>Streptopelia risoria</i>)	
Family Numididae:	
Black Guinea fowl (<i>Agelastes niger</i>)	Plumed Guinea fowl (<i>Guttera plumifera</i>)
Crested Guinea fowl (<i>Guttera pucherani edouardi</i>)	Vulturine Guinea fowl (<i>Acryllium vulturinum</i>)
Helmeted Guinea fowl (<i>Numida meleagris</i>)	White-breasted Guinea fowl (<i>Agelastes meleagrides</i>)
Kenya Guinea fowl (<i>Guttera pucherani</i>)	
Family Odontophoridae:	
Northern Bobwhite Quail (<i>Colinus virginianus</i>)	Grey Junglefowl (<i>Gallus sonneratii</i>)
Family Phasianidae:	
Blue-eared Pheasant (<i>Crossoptilon auritum</i>)	Lady Amherst's Pheasant (<i>Chrysolophus amherstiae</i>)
Common Peafowl (<i>Pavo cristatus</i>)	Red Junglefowl (<i>Gallus gallus</i>)
European Migratory Quail (<i>Coturnix coturnix</i>)	Reeves's Pheasant (<i>Syrnaticus reevesii</i>)
Golden Pheasant (<i>Chrysolophus pictus</i>)	Silver Pheasant (<i>Lophura nycthemera</i>)
Koklass Pheasant (<i>Pucrasia macrolopha</i>)	

Mammals

Raccoon (<i>Procyon lotor</i>)	Wallaroo (<i>Macropus robustus</i>)
Striped Skunk (<i>Mephitis mephitis</i>)	



Reptiles

Chameleons (Family Chamaeleonidae, all species except those listed in Schedule 4)	Turtles (Order Testudines, all species except those listed in Schedule 4)
Tortoises (Order Testudines, all species except those listed in Schedule 4)	
Family Boidae:	
Boa Constrictor (<i>Boa constrictor</i>)	Emerald Tree Boa (<i>Corallus caninus</i>)
Family Colubridae:	
Indigo Snake (<i>Drymarchon couperi</i>)	
Family Pythonidae:	
Black-headed Python (<i>Aspidites melanocephalus</i>)	Jungle Carpet Python (<i>Morelia spilota cheynei</i>)
Blood Python (<i>Python brongersmai</i>)	Short-tailed Python (<i>Python curtus</i>)
Darwin Carpet Python (<i>Morelia spilota variegata</i>)	Woma Python (<i>Aspidites ramsayi</i>)
Green Tree Python (<i>Morelia viridis</i>)	
Family Teiidae:	
Argentine Black and White Tegu (<i>Salvator merianae</i>)	Argentine Red Tegu (<i>Salvator rufescens</i>)

Fish

Asian Arowana (<i>Scleropages formosus</i>)	Red Piranha (<i>Pygocentrus nattereri</i>)
Black Shark (<i>Labeo chrysophekadion</i>)	Red-bellied Pacu (<i>Colossoma bidens</i>)
Goliath Tigerfish (<i>Hydrocynus goliath</i>)	Silver Arowana (<i>Osteoglossum bicirrhosum</i>)
Oscar (<i>Astronotus ocellatus</i>)	

Arachnids

Scorpions (Order Scorpiones, all species)	Tarantulas (Family Theraphosidae, all species)
---	--

Category: Prohibited

a) Eurasian boar (<i>Sus scrofa</i> except <i>Sus scrofa domesticus</i>);
b) an animal that is not livestock and does not belong to an allowed species or a restricted species
c) any animal that is the offspring resulting from the crossing of two animals that do not belong to the same species, if one of the two animals belongs to a species referred to in paragraph (a) or (b).

